

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE March 28, 1996	3. REPORT TYPE AND DATES COVERED Technical Report #30		
4. TITLE AND SUBTITLE Optically-Inscribed High Efficiency Diffraction Gratings in Azo Polymer Films		5. FUNDING NUMBERS N00014-93-1-0615		
6. AUTHOR(S) C. Barrett, A. Natansohn and P. Rochon				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Department of Chemistry Queen's University Kingston, Ontario K7L 3N6 Canada		8. PERFORMING ORGANIZATION REPORT NUMBER 30		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Department of the Navy Office of the Naval Research 800 North Quincy Street, Arlington, VA 22217-5000		10. SPONSORING/MONITORING AGENCY REPORT NUMBER 19960412 082		
11. SUPPLEMENTARY NOTES Submitted to Polymer Materials: Science and Engineering Division Preprints (ACS)				
12a. DISTRIBUTION/AVAILABILITY STATEMENT Reproduction in whole or in part is permitted for any purpose of the United States Government. This document has been approved for public release and sale; its distribution is unlimited.			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) A series of amorphous azobenzene-containing polymers were cast as thin films and shown to produce both reversible volume diffraction gratings and high-efficiency surface gratings by laser irradiation at an absorbing wavelength. The latter process involves localized mass transport of the polymer chains to a high degree, as atomic force microscopy reveals surface profile depths near that of the original film thickness. A mechanism for this phenomenon is proposed which involves pressure gradients as a driving force, present due to different photochemical behaviors of the azo chromophores at different regions of the interference pattern. This mechanism of photoinduced viscoelastic flow agrees well with the results of experiments investigating the effect of the polarization state of the interfering writing beams and the photochemical behavior of the chromophore, the free volume requirements of the induced geometric changes, and the viscoelastic flow of the material.				
14. SUBJECT TERMS Azo polymers, surface gratings, photoinduced viscoelastic flow			15. NUMBER OF PAGES 2	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT unclassified	20. LIMITATION OF ABSTRACT unlimited	

OFFICE OF NAVAL RESEARCH

GRANT: N00014-93-1-0615

R&T CODE: 3132081

Scientific Officer: Dr. Kenneth J. Wynne

TECHNICAL REPORT NO. 30

Optically-Inscribed High Efficiency Diffraction Gratings in Azo Polymer Films

by

C. Barrett, A. Natansohn and P. Rochon

**Submitted for publication
in**

Polymer Materials: Science and Engineering Division Preprints (ACS)

**Department of Chemistry
Queen's University
Kingston, On., Canada**

March 28, 1996

**Reproduction in whole or in part is permitted for any purpose of the
United States Government**

**This document has been approved for public release and sale;
its distribution is unlimited.**

OPTICALLY-INScribed HIGH EFFICIENCY DIFFRACTION GRATINGS IN AZO POLYMER FILMS. Christopher J. Barrett and Almeria L. Natansohn*, Department of Chemistry, Queen's University, Kingston, Ontario, Canada K7L 3N6. Paul L. Rochon, Department of Physics, Royal Military College, Kingston, Ontario, Canada K7K 5L0.

A series of amorphous azobenzene-containing polymers were cast as thin films and shown to produce both reversible volume diffraction gratings and high-efficiency surface gratings by laser irradiation at an absorbing wavelength. The latter process involves localized mass transport of the polymer chains to a high degree, as atomic force microscopy reveals surface profile depths near that of the original film thickness. A mechanism for this phenomenon is proposed which involves pressure gradients as a driving force, present due to different photochemical behaviors of the azo chromophores at different regions of the interference pattern. This mechanism of photoinduced viscoelastic flow agrees well with the results of experiments investigating the effect of the polarization state of the interfering writing beams and the photochemical behavior of the chromophore, the free volume requirements of the induced geometric changes, and the viscoelastic flow of the material.

ABSTRACT. Please be BRIEF—150 words maximum if possible. Title of paper should be ALL CAPS; author(s) listed by first name, middle initial, last name; indicate address w/zip code. SINGLE SPACE, BLACK INK.

☐ A. DIVISION OF P.M.S.E.

☐ B. MEMBER ☒ Yes ☐ No

☐ C. TITLE OF PAPER Optically-Inscribed High Efficiency
Diffraction Gratings in Azo Polymer
Films

Please indicate preference: X oral poster

☐ D. AUTHORS

Principal Author:

Surname	First Name	MI
BARRETT	CHRISTOPHER	J.

Presenting Author (if different)

Co-authors: ALMERIA NATANSOHN,
PAUL ROCHON

(To be filled in by Division)

Paper number as listed on program

☐ E. Principal Author's Business Mailing
Address Including Zip Code
Department of Chemistry
Queen's University
Kingston, Ontario
Canada K7L 3N6

☐ F. Principal Author's Telephone, Fax
Number, and E-mail Address

(613) 545-2008 (phone)
(613) 545-6669 (fax)

natansoh@chem.queensu.ca

☐ G. For contributed papers, do authors
meet criteria outlined in ACS Bylaw
VI, Section 6(3)? See instructions.

☒ Yes ☐ No

**NOTE: ALL PRESENTING AUTHORS MUST REGISTER FOR THE MEETING—EITHER FULL MEETING
REGISTRATION OR ONE-DAY REGISTRATION FOR THE DAY OF PRESENTATION.**

☐ H. Specify Equipment Required for Presentation Other than 2" x 2" (35MM) slide or overhead (transparency) projector